Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork

Article no.: No. 98045

Revised on: 14.05.2024



	SECTION 1: Identification of the substance or mixture and of the company/undertaking		
1.1	Product identifier	IST® bite fork	
		Article no.: 98045	
1.2	Relevant identified uses of the substance or mixture and uses which are not recommended		
1.2.1	Relevant uses medical device:	Medical device	
1.2.2	Uses that are not recommended:	None known	
1.3	Details of the supplier providing the safety data sheet	Dr. Hinz Dental Vertriebsgesellschaft mbH & Co. KG	
		Friedrich der Große 64	
		44628 Herne	
		GERMANY	
		Phone: + 49 (0) 23 23 / 59 34 20	
		Fax: + 49 (0) 23 23 / 59 34 29	
		E-Mail: qm@dhug.de	
1.4	Emergency number	Contact: Dr. P. Hinz	
		Phone: + 49 17 51 83 41 34	

SECTION 2: Possible dangers		
2.1	Classification of the substance or mixture	
	This substance does not meet the criteria for classification according to Regulation No. 1272/2008/EC.	
2.1.1	Classification according to (EC) Regulation 1272/2008 as amended. not required	
2.2	Labelling elements Additional information:	No additional information is available.
2.3	Other dangers	Dust. May be irritating to skin, eyes and respiratory system. If dust is formed (fine dust): May form explosive dust-air mixture if dispersed. Molten product may cause severe burns. Ingestion may cause gastrointestinal upset and pain in the gastrointestinal tract. This substance does not meet the PBT-NPvB criteria of REACH, Annex XIII.

	SECTION 3: Composition / Information on ingredients		
3.1	Chemical characterisation	Polystyrene mixture contains: CAS No. 9003-55-8: Styrene-ßutadiene Copolymer	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork

3.1.1

Article no.: No. 98045

Revised on: 14.05.2024

Dangerous ingredients

Version: 5.0 Replaced version: 4.0



The product does not contain any hazardous substances in quantities

that are required by applicable law to be must be mentioned in this section

	Section 4: First aid measures		
4.1	Description of the first aid measures		
	General notes	No special measures are required	
	Inhalation:	Provide fresh air. Put affected person in resting position and keep warm. Consult a doctor	
	Eye contact:	Immediately rinse with running water for 10 to 15 minutes with the eyelids open. Remove any contact lenses if possible. Continue rinsing. Consult an ophthalmologist in case of irritation	
	Skin contact:	The melted product may cause severe burns. Do not remove product from skin without medical attention. After contact with the melted product, cool the affected skin area quickly with water.	
	Ingestion:	Rinse mouth with water About one to two glasses of water limp. Never administer anything by mouth to an unconscious person. Call a doctor	
4.2	Most important symptoms and effects, both acute and delayed:	Dust. Skin irritation, eye irritation and redness.	
4.3	Indications for immediate medical help or special treatment		
	Dangers:	There is no information available	
	Treatment:	Symptomatic treatment. Decontamination. Vital signs	

	SECTION 5: Fire-fighting measures		
5.1	General fire hazards	Use water spray to protect personnel and to cool containers in the hazardous area	
	Extinguishing agent Suitable extinguishing media	Water spray, foam, dry powder, carbon dioxide (CO2)	
	Unsuitable extinguishing media:	Water in full jet	
5.2	Special hazards arising from the substance or mixture:	In the event of fire, the following can be produced: Smoke, carbon monoxide and carbon dioxide (CO2). In case of dusting (fine dust) Can form an explosive dust-LuR mixture in case of dispers on.	
5.3	Advice for firefighters Advice for firefighters:	Wear environmental self-contained breathing apparatus and chemical protective suit	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork Article no.: No. 98045

Revised on: 14.05.2024



fighting:	Prevent extinguishing water from entering surface waters or groundwater. Fire residues and contaminated extinguishing water must be disposed of in accordance with local regulations.	
SECTION 6: Accidental release measures		

	SECTION 6: Accidental release measures		
6.1	Personal precautions, protective equipment and emergency procedures:	Wear personal protective equipment. Do not inhale dust.	
6.2	Environmental protection measures:	Prevent penetration into soil, water or canahsation.	
6.3	Methods and material for retention and cleaning:	Collect mechanically. In closed containers and take for disposal. dispose of Avoid generation of dust Remove all sources of ignition Ensure adequate ventilation. Special risk of slipping due to spilled product	
6.4	Reference to other sections:	See supplementary paragraphs 8 and 13.	

	Section 7: Handling and storage:		
7.1	Protective measures for safe handling:	Ensure good ventilation of store and workplace. Do not inhale dust. Extraction required if dust is generated. Molten product. Avoid substance contact	
	Notes on fire and explosion protection:	Take measures against electrostatic charges Keep away from ignition sources. Use grounding devices Use explosion-proof equipment and spark milling tools Avoid OKene flames. In case of dust formation (fine dust) Dust explosion hazard.	
7.2	Conditions for safe storage taking into account incompatibilities:	Store in a well-ventilated place Keep container tightly closed. Protect from heat/sunlight	
	Storage stability:	Store in a well-ventilated place Keep container tightly closed. Protect from heat/sunlight	
	Storage class:	11 = Combustible solids	
7.3	Specific end uses:	There are no Informabonen available.	

SECTION 8: Exposure controls/personal protective equipment		
8.1 Parameters to be monitored Occupational CAS-Nr.		
	exposure limit values	Bezeichnung: Styrolux®
		Typ: Deutschland: AGW Kurzzeit :Grenszwert: 2,5 mg/m'
		Typ: Deutschland: AGW Kurzzeit :Grenszwert: 20 mg/ m
		Typ: Deutschland: AGW Langzeit :Grenszwert: 1,25 mg/m

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork Article no.: No. 98045

Revised on: 14.05.2024



	Biological limit values	Typ: Deutschland: AGW Langzeit: Grenszwert: 10 mg/m Typ: Deutschland: DFG Kurzzeit: Grenszwert:: 2,4 mg/m Type: Germany: DFG Long-term: Grenszwert: 0.3 mg/m Type: Germany: DFG Long-term: Grenszwert: 4 mg/m CAS No. 100-42-5 Identification: Styrene Type: Germany: AGW Short-term Grenszwert: 172 mg/m': 40 ppm Type: Germany: AGW Long-term: Grenszwert: 86 mg/m'; 20 ppm CAS No. 100-42-5 Designation: Styrene Germany: TRGS 903 /Urin Limit
		values: 600 mg/g Creatinine Parameter: Mandelic acid + phenylglyoxylic
8.2	Exposure controls Suitable engineering controls:	acid Sampling: for long-term exposure End of exposure or shift Provide good ventilation in the workplace. Additional controls are not normally required when handling polymers. Thermal extrusion Ensure that the occupational exposure limit (OEL) is not exceeded by using local exhaust ventilation. The use of respiratory protection may be required during maintenance work.
	Individual protective measures, for exan	nple personal protective equipment
	General information:	If the occupational exposure limits (OEL) are exceeded, a respirator must be worn. Use filter type A-P2 according to EN 14387.
	Eye/face protection:	Tight-fitting safety goggles according to EN 166.
	Skin protection Hand protection:	Protective gloves according to EN 374. Protective gloves made of fabric or leather.
		When melting: Heat-resistant protective gloves according to EN 407. Glove material: leather.
		The specifications of the manufacturer of the protective gloves regarding permeability and breakthrough times must be observed.
	Other:	The product contains very small amounts of residual monomers and process chemicals (styrene, ethylbenzene and butadiene) together with possible decomposition products that may be
		may be formed during thermal processes. Since the identity and content of these constituents depends on the process conditions (temperature, etc.), it is the responsibility of the user to determine appropriate protective or safety measures.
	Respiratory protection:	If the occupational exposure limits (OEL) are exceeded, a respirator must be worn. Use filter type A-P2 according to EN 14387.
	Hygiene measures:	Molten product: Avoid contact with skin Do not inhale dusts and vapors. Keep away from sources of ignition Wash hands before breaks and at end of work.
		In case of dust formation: Particular risk of slipping if spread on the floor
	Limitation and monitoring of environmental exposure:	see Chapter 7. No measures beyond these are required.

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork Article no.: No. 98045

Revised on: 14.05.2024



	SECTION 9: Physical	and chemical properties	
9.1	Information on the basic physical and chemical properties		
	Parameter	Value	
	State of aggregation	solid, granules	
	Colour	colorless, clear	
	Smell	weak, characteristic	
	Melting point/freezing point	30 °C (DIN EN ISO 306)	
	Boiling point or initial boiling point and boiling range	No data available	
	Flammability	No data available	
	Lower explosion limit upper explosion limit	In case of dust formation (fine dust). In case of dispersion may form explosive dust-air mixture	
	Flash point	No data available	
	Ignition temperature	No data available	
	Decomposition temperature	ca. 300 °C	
	pH value	No data available	
	Kinematic viscosity	No data available	
	Solubility	insoluble	
	Partition coefficient n-octanol/water (log value)	No data available	
	Vapour pressure	No data available	
	Density and/or specific gravity	at 20°C: approx. 1.05 g/an' (DIN 53479)	
	Relative vapour density	No data available	
	Particle properties	No data available	
9.2.	Other information Bulk density at 20 °C: approx. 640 kg/m' (DIN 53466)	•	

	SECTION 10: Stability and reactivity		
10.1	Reactivity	see 10.3	
10.2	Chemical stability	Stable under specified storage conditions.	
10.3	Possibility of hazardous reactions	In case of dust formation (fine dust): May form explosive dust-air mixture if dispersed.	
10.4	Conditions to avoid	Keep away from open flames, hot surfaces and sources of ignition. Avoid dust formation.	
10.5	Incompatible materials	Strong oxidizing agents	
10.6	Decomposition products	Hazardous decomposition products may be released during severe material overheating: Hydrogen cyanide, monomers, hydrocarbons, gases/vapors, cyclic low molecular weight oligomers, carbon monoxide and carbon dioxide. Them decomposition. approx. 300 °C	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork Article no.: No. 98045

Revised on: 14.05.2024



	SECTION 11:	Toxicological data
11.1	Information on hazard classes within the meaning	of Regulation (EC) No 1272/2008
	acute toxicity	The statements are derived from the properties of the individual components. No toxicological data are available for the product as such.
	Corrosive/irritant effect on the skin	Missing data not expected
	Serious eye damage/irritation	Based on available data, the classification criteria are not met
	Sensitisation of the respiratory tract/skin	Based on available data, the classification criteria are not met
	Germ cell mutagenicity	Based on available data, the classification criteria are not met
	Carcinogenicity	Based on available data, the classification criteria are not met
	Reproductive toxicity	Based on available data, the classification criteria are not met
	Specific target organ toxicity at single exposure	Based on available data, the classification criteria are not met
	Specific target organ toxicity in case of repeated exposure	Based on available data, the classification criteria are not met
	Aspiration hazard	Based on available data, the classification criteria are not met
11.2	Information on other hazards	Based on available data, the classification criteria are not met
11.2.1	Endocrine disrupting properties	Based on available data, the classification criteria are not met
11.2.2	Other information	According to many years of experience, no adverse effects are known if the product is handled properly.
		effects are known. Dust: May be irritating to skin, eyes and respiratory system.
		Molten product may cause severe burns.
		Thermal treatment, processing: Irritating to eyes, respiratory system and skin After ingestion:
		Ingestion may cause gastrointestinal upset and pain in the stomach and intestines.

	SECTION 12. Environmental information		
12.1	Toxicity	No indications of aquatic toxicity	
12.2	Persistence and degradability	Biodegradation: The product is not readily biodegradable The product is likely to be persistent in the environment. It can be mechanically separated in sewage treatment plants.	
		12.3 Bioaccumulative potential	
12.3	Bioaccumulative potential	To avoid bioaccumulation, plastics should not be disposed of in the sea or other bodies of water.	
12.4	Mobility in soil	No data available	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork Article no.: No. 98045

Revised on: 14.05.2024



12.5	Results of the PBT and vPvB assessment	This substance does not meet the PBT-NPvB criteria of REACH, Annex XIII.
12.6	Endocrine disrupting properties	No data available
12.7	Other adverse effects	Do not allow to enter ground water, bodies of water or drains.

		SECTION 13: Disposal instructions	
13.1	Waste treatment process		
	General information	Disposal according to KreislauMrtschahs- und Abfallgesetz (KrW-/AbfG). Dispose of to a suitable incineration plant/landfill in accordance with local regulations. Waste code number: 07 02 99 = Waste from MFSU of plastics, synthetic rubber and synthetic fibers MFSU = Manufacture, preparation, distribution and use.	
	Disposal methods	Dispose of in accordance with official regulations. Non-contaminated and residual empty packaging can be recycled	

	SECTION	ON 14: Transport information
14.1	ADR	not applicable
14.2	ADN	not applicable
14.3	RID	No dangerous goods in the sense of these transport regulations
14.4	IMDG	not applicable
14.5	IATA	not applicable
14.6	Special precautions for the user:	No dangerous goods in the sense of these transport regulations
14.7	Carriage in bulk in accordance with Annex II of the MARPOL Convention and the IBC Code:	Not applicable.

5.1	Safety, health and environmental regulations/specific legislation for the subs	tance or mixture:
	EU regulations	
	Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances:	none
	Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended:	none
	Regulation (EC) No 649/2012 on the export and import of dangerous chemicals:	none
	Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended:	none

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST® bite fork

Article no.: No. 98045

Revised on: 14.05.2024



	EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation:	none
	Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles:	none
	Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work:	none
	Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding:	none
	Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances:	none
	REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants	none
	Directive 98/24/EU on the protection of workers from the risks related to chemical agents at work:	none
	National regulations	
	Water hazard class	nwg = not hazardous to water
	Reference to Technical Rules for Hazardous Substances (TRGS)	none
	VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC)	none
	Other regulations	none
15.2	Chemical safety assessment	No shock safety assessment is required for this substance

	\$	SECTION 16: Other information
16.1	Information on the revision	Not relevant.
	Important literature references and data sources:	There are no data available.
	Training information:	There are no data available.
	Disclaimer:	More information To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise.

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 14.05.2024



	SECTION 1: Identification	n of the substance or mixture and of the company/undertaking			
1.1	Product identifier Steady-Resin S + M Monomer Article no.:98115				
1.2	Relevant identified uses of the substance or mixture and uses which are not recommended				
1.2.1	Relevant uses medical device:	Production of dental products			
1.2.2	Uses that are not recommended:	None known			
1.3	Details of the supplier providing the safety data sheet	Dr. Hinz Dental Vertriebsgesellschaft mbH & Co. KG Friedrich der Große 64 44628 Herne GERMANY Phone: + 49 (0) 23 23 / 59 34 20 Fax: + 49 (0) 23 23 / 59 34 29 E-Mail: qm@dhug.de			
1.4	Emergency number	Contact: Dr. P. Hinz Phone: + 49 17 51 83 41 34			

	SECTION 2: Possible dangers		
		•	
2.1	Classification of the substance or mixture		
	Hazard Categories:		
	Flammable Liquids: Flamm. Fl. 2		
	Skin corrosion/irritation: Skin Irrit. 2		
	Respiratory/skin sensitization: Sens. Skin 1		
	Specific target organ toxicity (single exposure):	STOT inc. 3	
	Hazard statements:		
	Highly flammable liquid and vapor.		
	Causes skin irritation.		
	May cause allergic skin reactions. May cause respiratory irritation.		
	way cause respiratory initiation.		
2.1.1	Classification according to (EC) Regulation 1	1272/2008 as amended.	
	Harrard Catagorian		
	Hazard Categories: Flammable Liquids: Flamm. Fl. 2		
	Skin corrosion/irritation: Skin Irrit. 2		
	Respiratory/skin sensitization: Sens. Skin 1		
	Specific target organ toxicity (single exposure):	STOT inc. 3	
	Hazard statements:		
	Highly flammable liquid and vapor.		
	Causes skin irritation.		
	May cause allergic skin reactions.		
	May cause respiratory irritation.		
2.2	Labelling elements Additional information:	Signal word Danger	
	710001010110110111	- Pictograms	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 14.05.2024



		Hazard statements H225 Highly flammable liquid and vapor. H315 Causes skin irritation. H317 May cause allergic skin reactions. H335 May cause respiratory irritation. Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not smoke. P261 Avoid breathing dust/fume/gas/mist/vapor/aerosol. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Remove contaminated clothing and wash before reuse. P370+P378 In case of fire: Use carbon dioxide (CO2), foam or extinguishing powder to extinguish. P403+P235 Keep in a well-ventilated place. Keep cool. P501 Dispose of contents/container as hazardous waste in accordance with local and national legislation. Dispose of to appropriate, licensed combustible organic waste incinerator.
2.3	Other dangers	There is no information available.

			omposition / Inform		nts			
3.1	Chemical characterisation	Methylmethacrylat 1,4-Butandioldimethacrylat						
3.1.1	Dangerous ingredients	Wording of H	H- and EUH-phrases:	see section 16				
		CAS-Nr.	Designation			Share		
			EG-Nr.	Index-NR.	Reach _Nr.			
			GHS- Classification					
		80-62-6	Methylmethacrylat			90 - < 95 %		
			201-297-1		01-2119452498-28			
			Flam. Liq. 2, Skin Irrit. 2, Skin Sens. 1, STOT SE 3; H225 H315 H317 H335					
		2082-81-7	082-81-7 1,4-Butandioldimethacrylat			5 - < 10 %		
		CAS-Nr.	EG-Nr.	D	esignation	Share	9	
			Specific concentration limits, M-factors and ATE					
		80-62-6	201-297-1	N	lethylmethacrylat	90 - <	< 95	
			inhalative: LC50 = 29 >5000 mg/kg	9,8 mg/l (Dämpfe); c	lermal: LD50 = >5000 m	g/kg; oral: LD50	=	
		2082-81-7	218-218-	1 1,4-Butandic	ldimethacrylat	5 - < 1	10 %	
			dermal: LD50 = > 3000 mg/kg; oral: LD50 = >10000 mg kg					

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 14.05.2024



		Section 4: First aid measures
4.1	Description of the first aid measures	
	General notes	mmediately remove soiled, saturated clothing. In case of skin irritation or rash: Seek medical advice / seek medical attention. If eye irritation persists: Get medical advice / attention.
	Inhalation:	Provide fresh air. In all cases of doubt or if symptoms are present, seek medical advice.
	Eye contact:	In case of eye contact, rinse eyes with water for a sufficient time with eyelids open, then consult an ophthalmologist immediately
	Skin contact:	In case of contact with skin, wash off immediately with polyethylene glycol, then with plenty of water. Immediately remove all contaminated clothing and wash before reapplication. Medical treatment necessary
	Ingestion:	In case of vomiting, observe risk of aspiration. Rinse out mouth immediately and drink plenty of water. and drink plenty of water.
4.2	Most important symptoms and effects, both acute and delayed:	Causes skin irritation. May cause respiratory irritation. May cause allergic skin reactions.
4.3	Indications for immediate medical ho	elp or special treatment
	Dangers:	There is no information available
	Treatment:	Symptomatic treatment

	SEC	CTION 5: Fire-fighting measures
5.1	General fire hazards	Use water spray to protect personnel and to cool containers in the hazardous area.
	Extinguishing agent Suitable extinguishing media	CO ₂ , sand, extinguishing powder. Do not use water.
	Unsuitable extinguishing media:	Water in full jet
5.2	Special hazards arising from the substance or mixture:	Flammable. Vapors may form explosive mixtures with air.
5.3	Advice for firefighters Advice for firefighters:	Wear self-contained breathing apparatus and chemical protective suit. Full protective suit.
	Special protective equipment for fire fighting:	Use water spray to protect persons and to cool containers in the danger zone. Knock down gases/vapors/mist with water spray jet. Collect contaminated extinguishing water separately. Do not allow Do not allow to enter sewage system or water.

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 14.05.2024



	SECTION 6: Accidental release measures						
6.1	Personal precautions, protective equipment and emergency procedures:	Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/aerosol. Avoid contact with skin, eyes and Avoid contact with skin, eyes and clothing. Use personal protective equipment.					
6.2	Environmental protection measures:	Do not allow uncontrolled release of product into the environment. Explosion hazard					
6.3	Methods and material for retention and cleaning:	Absorb with liquid-binding material (sand, diatomaceous earth; acid binders, universal binders). Treat the absorbed material according to section Disposal.					
6.4	Reference to other sections:	Safe handling: see section 7 Personal protective equipment: see section 8 Disposal: see section 13					

	Section	7: Handling and storage:
7.1	Protective measures for safe handling:	In case of open handling, use equipment with local exhaust ventilation. Do not inhale gas/fume/vapor/aerosol.
	Notes on fire and explosion protection:	Keep away from sources of ignition - do not smoke. Take measures against electrostatic charges. Vapors may form explosive form explosive mixtures with air.
7.2	Conditions for safe storage taking into account incompatibilities:	Keep container tightly closed. Keep container in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. Do not smok
	Storage stability:	Information on storage in one common storage facility Do not store together with: Oxidizing agents, pyrophors or self-heating hazardous substances.
	Storage class:	Storage class according to TRGS 510: 3 (Flammable liquids)
7.3	Specific end uses:	Production of orthodontic appliances.

	SECTION 8: Exposure controls/personal protective equipment					
8.1	Parameters to be monitored Occupational exposure limit values					

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 14.05.2024



	Occupation	-	,		-								
	CAS-Nr.	Designation		ppm	mg/m³	F/m³	Peak limiting value	Art.					
2	80-62-6	Methyl-metha	acrylat	50	210		2(I)						
	DNEL/DM	IEL values											
	CAS-Nr.		Desig	nation									
	DNEL Typ				Exposure	e route		Effect	Value				
	80-62-6				rylat inhalativ								
		Worker DNEL, long-term Worker DNEL, long-term				'			208 mg/m³				
	Worker DN	IEL, long-term			dermal				17 mg/kg KG/d				
	Biological	limit values			none)							
	Exposure controls:	controls Suita	ble en	gineering	In ca	se of op	en handling, us/fume/vapor/	use equipmen /aerosol.	t with local exhaust ventilation				
	Individual	protective me	asures	, for exa									
	General in	General information:						turated clothir and at the en	ng. Draw up and follow the sk d of				
								hly before bre nk while workir	aks and at the end of work, s				
	Eye/face p	Eye/face protection:					Wear eye/face protection.						
		Skin protection Hand protection:			Wear suitable protective gloves.								
						For protection against splashes: butyl; EN 374.							
							For protection against immersion: Butyl; 0.7 mm or thicker, EN 373.						
							The suitability of gloves should be agreed with the manufacturer. In case of contamination or if breakthrough time						
							is exceeded, change gloves. Resistance of glove material: see information of the						
					glove manufacturer.								
	Other:				Flame retardant clothing. Wear antistatic shoes and work clothes								
	Respirator	y protection:			Wear appropriate respiratory protection if technical measures are inadequated or not available and exposure is expected to be								
						is expected to exceed the DNEL (derived exposure level below which the substance will not cause adverse effects to human health).							
					health). A suitable respiratory mask with filter type A (EN 141 or EN 405) is recommended. In case of								
							formation of particularly high vapor concentrations, self-contained breathing apparatus may be necessary.						

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 14.05.2024



Limitation and monitoring of	Prevent seepage into drains or surface and ground water.
environmental exposure:	

	SECTION 9: Physical	and chemical properties				
9.1	Information on the basic physical and chemical pr	operties				
	Parameter	Wert				
	State of aggregation	liquid				
	Colour	according to product labeling				
	Smell	characteristic				
	Melting point/freezing point	minus 48,2 °C				
	Boiling point or initial boiling point and boiling range	100,3 °C				
	Flammability	inapplicable				
	Lower explosion limit upper explosion limit	2,1 Vol% 12,5 Vol%				
	Flash point	10 °C				
	Ignition temperature	430 °C				
	Decomposition temperature	Not determined				
	pH value	Not determined				
	Kinematic viscosity	Dyn. Viskosität: (bei 20 °C) 0,63 mPas				
	Solubility	Solubility in water: (at 20 °C) 15.9 g/L Solubility in other solvents: very soluble				
	Partition coefficient n-octanol/water (log value)	Not determined				
	Vapour pressure	Vapor pressure: (at 20 °C) 38.7 hPa				
	Density and/or specific gravity	0,94 g/cm ³				
	Relative vapour density	Not determined				
	Particle properties	Not determined				
9.2.	Other information Partition coefficient: 1.38 Dyn. viscosity: (at 20 °C) 0.63 mPa*s Solid content: not determined				

	SECTION 10: Stability and reactivity					
10.1	Reactivity	Flammable, risk of ignition				
10.2	Chemical stability	The product is stable when stored at normal ambient temperatures.				
10.3	Possibility of hazardous reactions	Can polymerize exothermically when heated, exposed to light and air, or with the addition of free radical initiators.				
10.4	Conditions to avoid	Keep away from heat sources (e.g. hot surfaces), sparks and open flames. May polymerize exothermically on heating, exposure to light and exposure to light and air or when free radical initiators are added. Protect from direct sunlight.				

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 14.05.2024



		direct sunlight.
10.5	Incompatible materials	In the presence of free radical formers (e.g. peroxides), reducing substances and/or heavy metal ions, polymerization is
		under heat generation is possible.
10.6		No hazardous decomposition products are known. In the presence of free radical formers (e.g. peroxides), reducing
	Decomposition products	
		substances and/or heavy metal ions, polymerization with heat generation is possible.

			SECTION 11:	Toxico	ological dat	ta							
11.1	Information	Information on hazard classes within the meaning of Regulation (EC) No 1272/2008											
	acute toxici	ty		Base met.	d on availat	ole data, the clas	ssification criteria are not						
	CAS-Nr.	Designation					1						
		Exposure routes	Method Dose	:	Species	Source	7						
	80-62-6	Methylmethacrlyat											
		oral	LD50 >5000mg		Rat	OECD 401	_						
		dermal	LD50 >5000 mg	/kg	Rabbit		4						
		Inhalative vapor	LC50 29,8 mg/l		Rat		4						
	2082-81-7	1,4-Butandioldimethac		. /1 -	D - 1		4						
		oral dermal	LD50 >10000 mg/		Rat Rabbit		4						
		dermai	LD50 >3000 ffig/	rkg	Kabbit		_						
	Corrosive/irritant effect on the skin				es skin irrita	ation.							
	Serious eye damage/irritation				d on availal	ole data, the clas	ssification criteria are not						
	Sensitisation of the respiratory tract/skin				May cause allergic skin reactions. (Methyl methacrylate, 1,4-butanediol dimethacrylate) May cause respiratory irritation. (Methyl methacrylate)								
	Germ cell mutagenicity				Based on available data, the classification criteria are not met.								
	Carcinogenicity				Based on available data, the classification criteria are not met.								
	Reproductive toxicity				d on availat	ole data, the clas	ssification criteria are not						
	Specific targ	get organ toxicity at s	single exposure	Based on available data, the classification criteria are not met.									
	Specific targ	get organ toxicity in coposure	ase of	Based on available data, the classification criteria are not met.									
	Aspiration hazard			Based on available data, the classification criteria are not met.									
11.2	Information	n on other hazards		Base met.	d on availat	ole data, the clas	ssification criteria are not						
11.2.1	Endocrine	disrupting propertion	es	Base met.	d on availal	ole data, the clas	ssification criteria are not						
11.2.2	Other infor	mation			mixture is clative 1999/4		perous according to						

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 14.05.2024



		SEC	CTION '	12. Environn	nental ii	nformation			
12.1	Toxicity			The product is not: Ecotoxic					
	CAS-Nr.	Designation	'						
		Aquatic toxicity	Metho	od Dose	h] [d]	Species	Source		
	80-62-6	4			, ,,,,	1 - 1 - 1 - 1 - 1			
		Acute fish toxicity	LC50	>79 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 203		
		Acute algal toxicity	ErC50 mg/l	>110	72 h	Selenastrum capricorntum	OECD 201		
		Acute crustacean toxicity	EC50 mg/l	69	48 h	Daphnia magna (Large water flea)	OECD 202		
		Crustacean toxicity	NOEC mg/l	37	21 d	Daphnia magna (Large water flea)	OECD 202		
	2082-81-7	1,4-Butandioldimathacr	_		1				
		Acute fish toxicity	LC50 mg/l	32,5	96 h	Oncorhynchus mykiss (Rainbow trout)			
		Acute crustacean toxicity	EC50 mg/l	7,51	48 h	Daphnia magna (Large water flea)	OECD 211		
	Crustacean toxicity NOEC mg/l			7,51	Selenastrum capricornutum				
12.2	Persistenc	e and degradability		The product	was no	t tested			
				•					
12.3	Bioaccumu	lative potential		There is no	informat	ion available			
				CAS-Nr. Designation			Log Pow	1	
				80-62-6		nethacrylat	1,38	1	
				2082-81-7		andioldimethacrylat	3,1	1	
12.4	Mobility in	soil		The product	was no	t tested.		-	
12.5	Results o assessmer	f the PBT and want	vPvB	The product	was no	t tested			
12.6	Endocrine	disrupting propertie	s	There is no	informat	ion available			
12.7	Other adve	rse effects		Avoid releas	se into th	ne environment			

	SECTION 13: Disposal instructions		
13.1	Waste treatment process		
	General information	Do not allow to enter drains or water courses. Dispose of in accordance with official regulations.	
	Disposal methods	Wash off with plenty of water. Completely emptied packaging can be recycled.	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 14.05.2024



	SECTI	ON 14: Transport information	
14.1	ADR	Other relevant information on land transport	
		UN number	UN 1247
		Proper shipping name UN Shipping	METHYLMETHACRYLAT, MONOMER,
		Name:	STABILISIERT
		Transport hazard classes:	3
		Packing group	II
		Hazard label:	3
		Classification Code:	F1
		Limited Quantity (LQ):	1 L
		Transport category:	2
		Hazard number:	339
		Tunnel Restriction Code:	D/E
		Quantity exempted: E2 SAPT: > 60 °C	
14.2	ADN	Other relevant information on in	land waterway transport
		Quantity exempted: E2	
		SAPT: > 60 °C	,
		UN number	UN 1247
		Proper shipping name UN Shipping	METHYLMETHACRYLAT, MONOMER,
		Name:	STABILISIERT
		Transport hazard classes:	3
		Packing group	II a
		Hazard label:	3
		Classification Code:	F1
		Limited Quantity (LQ):	1 L
14.3	RID	There is no information available	e.
		UN number	UN 1247
		Proper shipping name UN Shipping Name:	METHYLMETHACRYLAT, MONOMER, STABILISIERT
		Transport hazard classes:	3
		Packing group	II
		Hazard label:	3
		Classification Code:	F1
		Limited Quantity (LQ):	1 L
		Transport category:	2
		Hazard number:	339
		Tunnel Restriction Code:	D/E
14.4	IMDG	Other relevant information for se	
		Exempted quantity: E2	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 14.05.2024



		OADT 00.00	
		SAPT: > 60 °C	
		UN number	UN 1247
		Proper shipping name UN Shipping Name:	METHYL METHACRYLATE, MONOMER, STABILIZED
		Transport hazard classes:	3
		Packing group	
		Hazard label:	3
		Trazara lasci.	
		Special provisions:	-
		Limited Quantity (LQ):	11
		EmS:	F-E, S-D
14.5	ICAO	Other relevant information on ai	
17.5	IOAG	Other relevant information on a	i ilansport
		Exempted quantity: E2	
		Passenger LQ: Y341	
		SAPT: > 60 °C	
		SAI 1. 200 C	
		UN number	UN 1247
		Proper shipping name UN Shipping	METHYL METHACRYLATE, MONOMER,
		Name:	STABILIZED
		Transport hazard classes:	3
		Packing group	II
		Hazard label:	3
		Limited Quantity (LQ):	1 L
		IATA Packing Instructions -	353
		Passenger:	
		IATA Maximum Quantity -	5 L
		Passenger:	
		IATA packing instruction - Cargo:	364
		IATA Maximum Quantity - Cargo:	60 L
14.6	Special precautions for the user:	There is no information availabl	e.
14.7	Carriage in bulk in accordance with Annex II of the MARPOL Convention and the IBC Code:	Not applicable.	

15.1	Safety, health and environmental regulations/specific legislation for the substance or mixture:	
	EU regulations	
	Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances:	There is no information available.
	Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended:	There is no information available.
	Regulation (EC) No 649/2012 on the export and import of dangerous chemicals:	There is no information available.

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 14.05.2024



	Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended:	There is no information available.
	EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation:	There is no information available.
	Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles:	There is no information available.
	Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work:	There is no information available.
	Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding:	There is no information available.
	Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances:	P5c FLAMMABLE LIQUIDS
	REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants	There is no information available.
	Directive 98/24/EU on the protection of workers from the risks related to chemical agents at work:	There is no information available.
	National regulations	
	Water hazard class	2 - clearly hazardous to water
	Reference to Technical Rules for Hazardous Substances (TRGS)	There is no information available.
	VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC)	There is no information available.
	Other regulations	Information on IE Directive 2010/75/EU (VOC): 90 % (846 g/l) Information on VOC Directive 2004/42/EC: 90 % (846 g/l) Employment restriction: Observe employment restrictions for young people (§ 22 JArbSchG) Status: Classification of mixtures according to anlage 1, Nr. 5 AwSV Skin absorption / sensitization: Triggers hypersensitivity reactions of allergic type.
5.2	Chemical safety assessment	Chemical safety assessments for substances in this mixture have not been performed.

	SECTION 16: Other information		
16.1	Information on the revision	Not relevant.	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 14.05.2024



Important literature references and data sources:	Abbreviations and acronyms ADR: Accord européen sur le transport de marchandises dangereuses par Route (European Agreement concernit the International Carriage of Dangerous Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Associaton
	GHS: Globally Harmonized System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service
	LC50: Lethal concentration, 50
	LD50: Lethal dose, 50
	Classification of mixtures and assessment method used according to Regulation (EC) No 1272/2008 [CLP].
	Classification Classification method
	Flam. Liq. 2; H225 Based on test data
	Skin Irrit. 2; H315 Calculation method
	Skin Sens. 1; H317 Calculation method
	STOT SE 3; H335 Calculation method
	Wording of H and EUH phrases (number and full text)
	H225 Highly flammable liquid and vapor.
	H315 Causes skin irritation.
	H317 May cause allergic skin reactions.
	H335 May cause respiratory irritation
Training information:	There are no data available.
Disclaimer:	More information To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information
	intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing,

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Monomer

Article no.: No. 98115

Revised on: 14.05.2024



	transportation and disposal. The information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise.
--	--

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer Article no.: No. 98116

Revised on: 14.05.2024



1.1	Product identifier	Steady-Resin S + M Polymer Article no.: 98116
1.2	Relevant identified uses of the sub	ostance or mixture and uses which are not recommended
1.2.1 1.2.2	Relevant uses medical device: Orthodontic resin, autopolymer, powder components of the 2-component acrylic resin system for the production of orthodontic appliances	
	Uses that are not recommended:	None known
1.3	Details of the supplier providing the safety data sheet	Dr. Hinz Dental Vertriebsgesellschaft mbH & Co. KG
		Friedrich der Große 64 44628 Herne
		GERMANY
		Phone: + 49 (0) 23 23 / 59 34 20
		Fax: + 49 (0) 23 23 / 59 34 29
		E-Mail: qm@dhug.de
1.4	Emergency number	Contact: Dr. P. Hinz

		SECTION 2: Possible dangers	
2.1	Classification of the substance or mixture Hazard Categories:		
	Hazardous to the aquatic environme	Hazardous to the aquatic environment: Aqu. Chron. 3	
	Hazard statements:		
	Harmful to aquatic organisms, with long lasting effects.		
2.1.1	Classification according to (EC) R	egulation 1272/2008 as amended.	
	Hazard statements H412 Harmful to aquatic life with long lasting effects.		
2.2	Labelling elements	Safety advice	
	Additional information:	P273 Avoid release to the environment.	
		P501 Dispose of contents/container as hazardous waste to appropriate	
		licensed combustible organic waste incinerator in accordance with local and national legislation. Dispose of to appropriate approved incinerator for	
		combustible organic waste. Special labelling of certain mixtures	
		EUH208 Contains dibenzoyl peroxide; benzoyl peroxide. May cause	
		allergic reaction	
2.3	Other dangers	Contains methyl methacrylate, dibenzoyl peroxide. May cause allergic reactions.	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer Article no.: No. 98116

Revised on: 14.05.2024



SECTION 3: Composition / Information on ingredients		
3.1	Chemical characterisation	Mixture based on polymethyl methacrylates and catalyst
3.1.1	Dangerous ingredients	CAS No. 9011-14-7 Designation: acrylic polymer Proportion: 95 - <= 100 % CAS No. 94-36-0 Designation :dibenzoyl peroxide; benzoyl peroxide EC No. 202-327-6 Reach No. 01-2119511472-50 GHS Classification Org. Perox. B, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1, Aquatic Chronic 1; H241 H319 H317 H400 H410 Proportion: < 1 % Wording of H- and EUH-phrases: see section 16

		Section 4: First aid measures	
4.1	Description of the first aid measures		
	General notes	First aider must protect himself. Remove the affected person from the danger zone. If If you feel unwell, seek medical advice	
	Inhalation:	Provide fresh air	
	innaiation:	Provide fresh all.	
	Eye contact:	Wash off with plenty of water. Remove contaminated clothing and wash before wearing again.	
		wash before wearing again.	
	Skin contact:	Immediately rinse carefully and thoroughly with eye wash or with water.	
	Ingestion:	Rinse mouth immediately and drink plenty of water.	
4.2	Most important symptoms and effects, both acute and delayed:	There is no information available.	
4.3	Indications for immediate medical help or special treatment		
	Dangers:	There is no information available.	
	Treatment:	Symptomatic treatment.	

	SECTION 5: Fire-fighting measures		
5.1	General fire hazards	Use water spray to protect personnel and to cool containers in the hazardous area.	
	Extinguishing agent Suitable extinguishing media	Adapt extinguishing measures to the surroundings. Foam, extinguishing powder, carbon dioxide	
	Unsuitable extinguishing media:	Water in full jet	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer Article no.: No. 98116

Revised on: 14.05.2024



5.2	Special hazards arising from the substance or mixture:	In case of fire, the following can be released: Carbon monoxide, carbon dioxide, organic decomposition products.
5.3	Advice for firefighters Advice for firefighters:	In case of fire: Wear self-contained breathing apparatus.
	Special protective equipment for fire fighting:	Collect contaminated extinguishing water separately. Do not allow to enter drains or bodies of water.

	SECTION 6: Accidental release measures		
6.1	Personal precautions, protective equipment and emergency procedures:	Avoid dust formation. Do not inhale dust.	
6.2	Environmental protection measures:	Do not allow to enter drains or water courses	
6.3	Methods and material for retention and cleaning:	Pick up mechanically. Treat the picked up material according to section Disposal.	
6.4	Reference to other sections:	Safe handling: see section 7 Personal protective equipment: see section 8 Disposal: see section 13	

	Section 7: Handling and storage:		
7.1	Protective measures for safe handling:	No special precautions required.	
	Notes on fire and explosion protection:	No special fire protection measures required.	
7.2	Conditions for safe storage taking into account incompatibilities:	Requirements for storage rooms and containers Keep containers tightly closed	
	Storage stability:	No special precautions required	
	Storage class:	Lager class according to TRGS 510: 11 (Combustible solids that cannot be assigned to any of the above LGK)	
7.3	Specific end uses:	Production of dental products	

SECTION 8: Exposure controls/personal protective equipment		
8.1	Parameters to be monitored Occupational exposure limit values	Occupational exposure limits (TRGS 900) CAS No. 94-36-0 Designation: Dibenzoyl peroxide mg/m³: 5 E Peak limit 1 (I)

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer Article no.: No. 98116

Revised on: 14.05.2024



	Biological limit values	none
3.2	Exposure controls Suitable engineering controls:	none
	Individual protective measures, for example personal protective equipment	
	General information:	not required
	Eye/face protection:	Wear eye/face protection.
	Skin protection Mand protection:	Material: Protective gloves against mechanical risks according to EN 388.
		Additional information: Protective gloves should be changed regularly, especially after intensive contact with
		the product. Gloves must be removed and replaced when they show signs of wear or chemical breakage.
		chemical leakage. An appropriate type of glove must be selected for each workplace. Please
	Al co	Follow the glove supplier's instructions for permeability and breakthrough time. Also the specific,
		conditions under which the product will be used, such as cut hazard, abrasion and contact time.
		contact duration.
	Other:	Wear suitable protective clothing when working.
	Respiratory protection:	A suitable dust mask or respirator with filter type P1 or FFP1 (EN143 or EN149) may be suitable. In
		the unlikely event of the formation of particularly high quantities of dust, a self-contained breathing apparatus may be suitable.
		may be suitable.
	Hygiene measures:	Remove contaminated clothing. Wash hands before breaks and at the end of work. Do not eat or drink while
		drink.
	Limitation and monitoring of environmental exposure:	not required

SECTION 9: Physical and chemical properties	
9.1	Information on the basic physical and chemical properties

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer Article no.: No. 98116

Revised on: 14.05.2024



	Parameter	Value
	State of aggregation	Powder
	Colour	white
	Smell	characteristic
	Melting point/freezing point	ca. 110 °C
	Boiling point or initial boiling point and boiling range	Not determined
	Flammability	Not determined
	Lower explosion limit upper explosion limit	Not determined
	Flash point	> 250 °C
	Ignition temperature	> 400 °C
	Decomposition temperature	Not determined
	pH value	Not determined
	Kinematic viscosity	Not determined
	Solubility	No test required as the substance is known to be insoluble in water. Solubility in other solvents: soluble in hydrocarbons.
	Partition coefficient n-octanol/water (log value)	Not determined
	Vapour pressure	Not determined
	Density and/or specific gravity	1,16 g/cm³
	Relative vapour density	Not determined
	Particle properties	Not determined
9.2.	Other information Oxidizing properties: not oxidizing Bulk density: (at 20 °	² C) 700 - 750 kg/m ³

	SECTION 10: Stability and reactivity		
10.1	Reactivity	No hazardous reactions will occur if handled and stored as directed.	
10.2	Chemical stability	The product is stable when stored at normal ambient temperatures.	
10.3	Possibility of hazardous reactions	No dangerous reactions are known	
10.4	Conditions to avoid	keine/keiner	
10.5	Incompatible materials	There is no information available.	
10.6	Decomposition products	Exothermic decomposition with formation of: Methyl methacrylate	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer Article no.: No. 98116

Revised on: 14.05.2024



	SECTION 11: Toxicological data		
11.1	Information on hazard classes within the meaning of Regulation (EC) No 1272/2008		
	acute toxicity	The product has not been toxicologically tested.	
	Corrosive/irritant effect on the skin	Based on available data, the classification criteria are not met.	
	Serious eye damage/irritation	Based on available data, the classification criteria are not met.	
	Sensitisation of the respiratory tract/skin	Contains dibenzoyl peroxide; benzene peroxide. May cause allergic reactions.	
	Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
	Carcinogenicity	Based on available data, the classification criteria are not met.	
	Reproductive toxicity	Based on available data, the classification criteria are not met.	
	Specific target organ toxicity at single exposure	Based on available data, the classification criteria are not met.	
	Specific target organ toxicity in case of repeated exposure	Based on available data, the classification criteria are not met.	
	Aspiration hazard	Based on available data, the classification criteria are not met.	
11.2	Information on other hazards	Based on available data, the classification criteria are not met.	
11.2.1	Endocrine disrupting properties	Based on available data, the classification criteria are not met.	
11.2.2	Other information	The mixture is classified as non-hazardous according to Directive 1999/45/EC.	

	SECTION 12. Environmental information		
12.1	Toxicity	The product is not: Ecotoxic	
12.2	Persistence and degradability	The product has not been tested.	
12.3	Bioaccumulative potential	The product has not been tested.	
12.4	Mobility in soil	The product has not been tested.	
12.5	Results of the PBT and vPvB assessment	The product has not been tested.	
12.6	Endocrine disrupting properties	The product has not been tested.	
12.7	Other adverse effects	The product has not been tested.	

	SECTION 13: Disposal instructions			
13.1	Waste treatment process			
	General information	Do not allow to enter drains or water courses. Dispose of in accordance with official regulations.		
	Disposal methods	Wash off with plenty of water. Completely emptied packaging can be sent for recycling.		

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer Article no.: No. 98116

Revised on: 14.05.2024



	SECTION 14: Transport information					
14.1	ADR	Not a hazardous material as defined by these transport regulations.				
14.2	ADN	Not a hazardous material as defined by	these transport regulations.			
14.3	RID	Not a hazardous material as defined by these transport regulations.				
14.4	IMDG	No information available. environment: n	Hazardous to the			
14.5	IATA	Not a hazardous material as defined by	these transport regulations.			
14.6	Special precautions for the user:	Not a hazardous material as defined by	these transport regulations.			
14.7	Carriage in bulk in accordance with Annex II of the MARPOL Convention and the IBC Code:	Not applicable.				

5.1	Safety, health and environmental regulations/specific legislation for the substance or mixture:							
	EU regulations							
	Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances:	none						
	Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended:	none						
	Regulation (EC) No 649/2012 on the export and import of dangerous chemicals:	none						
	Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended:	none						
	EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation:	none						
	Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles:	none						
	Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work:	none						
	Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding:	none						
	Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances:	none						
	REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants	none						
	Directive 98/24/EU on the protection of workers from the risks related to chemical agents at work:	none						

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer Article no.: No. 98116

Revised on: 14.05.2024



	National regulations					
	Water hazard class	1 - slightly hazardous to water				
	Reference to Technical Rules for Hazardous Substances (TRGS)	none				
	VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC)	none				
	Other regulations	Employment restrictions Observe employment restrictions for young people (§22 JArbSchG).				
		Observe employment restrictions for expectant and nursing mothers.				
		(§§ 11 and 12 MuSchG). Status: Classification of mixtures according to Annex 1, No. 5 AwSV				
15.2	Chemical safety assessment	SSubstance safety assessments for substances in this mixture have not been carried out.				

	SECTION 16: Other information					
16.1	Information on the revision	Not relevant.				
	Important literature references and data sources:	Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route				
		(European Agreement concerning the International Carriage of Dangerous Goods by Road)				
		IMDG: International Maritime Code for Dangerous Goods				
		IATA: International Air Transport Associaton				
		GHS: Globally Harmonized System of Classification and Labelling of Chemicals				
		EINECS: European Inventory of Existing Commercial Chemical Substances				
		ELINCS: European List of Notified Chemical Substances				
		CAS: Chemical Abstracts Service				
		LC50: Lethal concentration, 50				
		LD50: Lethal dose, 50				

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Steady-Resin S + M Polymer Article no.: No. 98116

Revised on: 14.05.2024



Classification of mixtures and assessment method used according to Regulation (EC) No 1272/2008 [CLP].
Classification Classification method
Aquatic Chronic 3; H412 Calculation method
Wording of H and EUH phrases (number and full text)
H241 Heating may cause fire or explosion.
H317 May cause an allergic skin reaction.
H319 Causes severe eye irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.
EUH208 Contains dibenzoyl peroxide; benzoyl peroxide. May cause allergic reactionsAbbreviations and Acronyms
There are no data available.
More information To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise.

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST®incl. screws

Article no.: No. 98032

Revised on: 14.05.2024



	SECTION 1: Identification of the substance or mixture and of the company/undertaking						
1.1	Product identifier	Fixing parts for IST®incl. screws Article no.:98032					
1.2	Relevant identified uses of the substance or mixture and uses which are not recommended						
1.2.1	Relevant uses medical device:	Fastening parts for thermoforming rails					
1.2.2	Uses that are not recommended:	None known					
1.3	Details of the supplier providing the safety data sheet	Dr. Hinz Dental Vertriebsgesellschaft mbH & Co. KG Friedrich der Große 64 44628 Herne GERMANY Phone: + 49 (0) 23 23 / 59 34 20 Fax: + 49 (0) 23 23 / 59 34 29 E-Mail: qm@dhug.de					
1.4	Emergency number	Contact: Dr. P. Hinz Phone: + 49 17 51 83 41 34					

	SECTION 2: Possible dangers						
2.1	Classification of the substance or mixture						
	According to EC directives not subject to labeling for handling.						
2.1.1	Classification according to (EC) Regulation 1272/2008 as amended.						
	Not classified						
2.2	Labelling elements Additional information: Not applicable No data available						
2.3	Other dangers	There are no data available					

	SECTION 3: Composition / Information on ingredients							
3.1	Chemical characterisation	Chrome-n	Chrome-nickel/steel, material 1.4305					
3.1.1 Dangerous ingredients		Not subject	Not subject to declaration					
		Artikel	Deutsch	English	Material			
		98029	Teleskop HF 9	Telescopes HF 9	A, B, C			
		98029	Teleskop HF 9	Telescopes HF 9	A, B			

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST $\! \mathbb{R}$ incl. screws

Article no.: No. 98032

Revised on: 14.05.2024



					98	030 T	ГеІе	skop HF	15	Telesc	opes HF	15	A, B, 0
					98	030 T	Гele	skop HF	15	Telesc	opes HF	15	A, B
Materia	I												
Α	Edelstahl / Stainless Steel 1.4301												
	C %	Si %	Si % Mn % P % S %		, D	Cr % Ni				nstige / others			
	<u><</u> 0,07	<u><</u> 1,0	<u><</u> 2,0	<u><</u> 0,	045	<u><</u> 0,030	0	17,5 – 1	9,5	8,0 –	10,5	N <u><</u>	0,11
В	Edelstahl / Stainless Steel 1.4305												
	C %	Si %	Mn %	P %	S	%		Cr %	N	i %	Sonst	ige / O	thers
	<u><</u> 0,10	<u><</u> 1,0	≤ 2,0	<u><</u> 0,045	<u><</u> 0,15	- 0,35	17	,0 – 19,0	8,0 -	- 10,0	Cu <u><</u>	1,0; N <u><</u>	0,11
Material	Deutsch	I	English										
С	Polyamid	I	Polyamide	,									
-													

		Section 4: First aid measures				
4.1	Description of the first aid measures					
	General notes	No action should be taken that involves personal risk or has not been adequately trained.				
	Inhalation:	No special measures required				
	Eye contact:	No special measures required				
	Skin contact:	No special measures required				
	Ingestion:	No special measures required				
4.2	Most important symptoms and effects, both acute and delayed:	No special measures required				
4.3	Indications for immediate medical help or special treatment					
	Dangers:	This product is not expected to be harmful under normal use and proper personal hygiene.				
	Treatment:	Do NOT induce vomiting if swallowed. Administer a glass of water.				

	SECTION 5: Fire-fighting measures					
5.1	General fire hazards	Not applicable				
	Extinguishing agent Suitable extinguishing media	Not applicable				

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST®incl. screws

Article no.: No. 98032

Revised on: 14.05.2024



	Unsuitable extinguishing media:	Not applicable
5.2	Special hazards arising from the substance or mixture:	Not applicable
5.3	Advice for firefighters Advice for firefighters:	Not applicable
	Special protective equipment for fire fighting:	Not applicable

SECTION 6: Accidental release measures		
6.1	Personal precautions, protective equipment and emergency procedures:	Not applicable
6.2	Environmental protection measures:	Not applicable
6.3	Methods and material for retention and cleaning:	Not applicable
6.4	Reference to other sections:	Not applicable

	Section 7: Handling and storage:		
7.1	Protective measures for safe handling:	No special measures required	
	Notes on fire and explosion protection:	No special measures required	
7.2	Conditions for safe storage taking into account incompatibilities:	No special measures required	
	Storage stability:	No special measures required	
	Storage class:	No special measures required	
7.3	Specific end uses:	No special measures required	

	SECTION 8: Exposure controls/personal protective equipment		
8.1	Parameters to be monitored Occupational exposure limit values	not required	
	Biological limit values	Not applicable	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST®incl. screws

Article no.: No. 98032

Revised on: 14.05.2024



8.2	Exposure controls Suitable engineering controls:	not required	
	Individual protective measures, for example personal protective equipment		
	General information:	not required	
	Eye/face protection:	not required	
	Skin protection Hand protection:	not required	
	Other:	not required	
	Respiratory protection:	not required	
	Hygiene measures:	not required	
	Limitation and monitoring of environmental exposure:	not required	

	Information on the basic physical and chemical properties		
	Parameter	Wert	
	State of aggregation	Solid material	
	Colour	silver gray, metallic	
	Smell	odorless	
	Melting point/freezing point	1400-1550 °C (depending on steel grade)	
	Boiling point or initial boiling point and boiling range	There are no data available.	
	Flammability	There are no data available.	
	Lower explosion limit upper explosion limit	There are no data available.	
	Flash point	There are no data available.	
	Ignition temperature	There are no data available.	
	Decomposition temperature	inapplicable	
	pH value	inapplicable	
	Kinematic viscosity	There are no data available.	
	Solubility	Non soluble	
	Partition coefficient n-octanol/water (log value)	There are no data available.	
	Vapour pressure	There are no data available.	
	Density and/or specific gravity	7.7 - 8.1 g / cm³ (depending on steel grade)none	
	Relative vapour density	There are no data available.	
	Particle properties	There are no data available.	
).2.	Other information Bulk density: approx. 0.600 g/cm ³	'	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST®incl. screws

Article no.: No. 98032

Revised on: 14.05.2024



SECTION 10: Stability and reactivity		
10.1	Reactivity	There are no data available.
10.2	Chemical stability	The material is stable under normal conditions
10.3	Possibility of hazardous reactions	None known.
10.4	Conditions to avoid	None known.
10.5	Incompatible materials	None known.
10.6	Decomposition products	None known.

	SECTION 11: Toxicological data		
11.1	Information on hazard classes within the mea	ning of Regulation (EC) No 1272/2008	
	acute toxicity	There are no data available	
	Corrosive/irritant effect on the skin	There are no data available	
	Serious eye damage/irritation	There are no data available	
	Sensitisation of the respiratory tract/skin	There are no data available	
	Germ cell mutagenicity	There are no data available	
	Carcinogenicity	There are no data available	
	Reproductive toxicity	There are no data available	
	Specific target organ toxicity at single exposure	There are no data available	
	Specific target organ toxicity in case of repeated exposure	There are no data available	
	Aspiration hazard	There are no data available	
11.2	Information on other hazards	There are no data available	
11.2.1	Endocrine disrupting properties	There are no data available	
11.2.2	Other information	There are no data available	

SECTION 12. Environmental information		
12.1	Toxicity	There are no data available
12.2	Persistence and degradability	There are no data available
12.3	Bioaccumulative potential	There are no data available

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST®incl. screws

Article no.: No. 98032

Revised on: 14.05.2024



12.4	Mobility in soil	There are no data available
12.5	Results of the PBT and vPvB assessment	There are no data available
12.6	Endocrine disrupting properties	There are no data available
12.7	Other adverse effects	There are no data available

	SECTION 13: Disposal instructions	
13.1	Waste treatment proces	S
	General information	Check possibility of recycling. May be disposed of as household waste or incinerated in a suitable incinerator in accordance with local regulations. Uncleaned packaging: Empty packaging completely.
	Disposal methods	There are no data available

	SECTION 14: Transport information		
14.1	ADR	Not a hazardous material.	
14.2	ADN	Not a hazardous material.	
14.3	RID	Not a hazardous material.	
14.4	IMDG	Not a hazardous material.	
14.5	IATA	Not a hazardous material.	
14.6	Special precautions for the user:	Not a hazardous material.	
14.7	Carriage in bulk in accordance with Annex II of the MARPOL Convention and the IBC Code:	Not a hazardous material.	

15.1	Safety, health and environmental regulations/specific legislation for the substance or mixture: EU regulations		
	Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances:	none	
	Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended:	none	
	Regulation (EC) No 649/2012 on the export and import of dangerous chemicals:	none	
	Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended:	none	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST®incl. screws

Article no.: No. 98032

Revised on: 14.05.2024



	EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation:	none				
	Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles:	none				
	Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work:	none				
	Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding:	none				
	Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances:	none				
	REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants	none				
	Directive 98/24/EU on the protection of workers from the risks related to chemical agents at work:	none				
	National regulations					
	Water hazard class	none				
	Reference to Technical Rules for Hazardous Substances (TRGS)	none				
	VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC)	none				
	Other regulations	none				
15.2	Chemical safety assessment	No chemical safety assessment has been carried out.				

	SECTION 16: Other information					
16.1	Information on the revision	Not relevant.				
	Important literature references and data sources:	There are no data available.				
	Training information:	There are no data available.				
	Disclaimer:	More information To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise.				

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Fixing parts for IST®incl. screws

Article no.: No. 98032

Revised on: 14.05.2024



Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST®classic telescopes normal (H15), 1 pair

Article no.: No. 98030

Revised on: 14.05.2024



	SECTION 1: Identification of the substance or mixture and of the company/undertaking					
1.1	Product identifier	IST®classic telescopes normal (H15), 1 pair Article no.:98030				
1.2	Relevant identified uses of the substance or mixture and uses which are not recommended					
1.2.1	Relevant uses medical device:	Fastening parts for thermoforming rails				
1.2.2	Uses that are not recommended:	None known				
1.3	Details of the supplier providing the safety data sheet	Dr. Hinz Dental Vertriebsgesellschaft mbH & Co. KG Friedrich der Große 64 44628 Herne GERMANY Phone: + 49 (0) 23 23 / 59 34 20 Fax: + 49 (0) 23 23 / 59 34 29				
1.4	Emergency number	E-Mail: qm@dhug.de Contact: Dr. P. Hinz Phone: + 49 17 51 83 41 34				

	SECTION 2: Possible dangers				
2.1	Classification of the substance or mixture				
	According to EC directives not subject to labe	ling for handling.			
2.1.1	Classification according to (EC) Regulation 1272/2008 as amended. Not classified				
2.2	Labelling elements Additional information:	Not applicable No data available			
2.3	Other dangers	There are no data available			

	SECTION 3: Composition / Information on ingredients						
3.1	Chemical characterisation	Chrome-n	Chrome-nickel/steel, material 1.4305				
3.1.1	Dangerous ingredients	Not subject	ct to declaration				
		Artikel	Deutsch	English	Material		
		98029	Teleskop HF 9	Telescopes HF 9	A, B, C		
		98029	Teleskop HF 9	Telescopes HF 9	A, B		

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST®classic telescopes normal (H15), 1 pair

Article no.: No. 98030

Revised on: 14.05.2024



					98	030 7	ГеІе	skop HF	15	Telesc	opes HF	15	A, B, 0
					98	030 1	Гele	skop HF	15	Telesc	opes HF	15	A, B
Materia	I												
Α	Edelstahl / S	Stainless	Steel 1.4	301									
	C %	Si %	Mn %	Р	%	S %	, D	Cr %	6	N	i %		stige / hers
	<u><</u> 0,07	<u><</u> 1,0	<u><</u> 2,0	<u><</u> 0,	045	<u><</u> 0,03	0	17,5 – 1	9,5	8,0 –	10,5	N <u><</u>	0,11
В	Edelstahl / S	tainless	Steel 1.43	05									
	C %	Si %	Mn %	P %	S	%		Cr %	N	i %	Sonst	ige / O	thers
	<u><</u> 0,10	<u><</u> 1,0	<u><</u> 2,0	<u><</u> 0,045	<u><</u> 0,15	- 0,35	17	,0 – 19,0	8,0 -	- 10,0	Cu <u><</u> ′	1,0; N <u><</u>	<u>c</u> 0,11
Material	Deutsch	E	English		ı					· ·			
С	Polyamid	F	Polyamide										
	· ·												

		Section 4: First aid measures
4.1	Description of the first aid measures	S
	General notes	No action should be taken that involves personal risk or has not been adequately trained.
	Inhalation:	No special measures required
	Eye contact:	No special measures required
	Skin contact:	No special measures required
	Ingestion:	No special measures required
4.2	Most important symptoms and effects, both acute and delayed:	No special measures required
4.3	Indications for immediate medical h	elp or special treatment
	Dangers:	This product is not expected to be harmful under normal use and proper personal hygiene.
	Treatment:	Do NOT induce vomiting if swallowed. Administer a glass of water.

	SECTION 5: Fire-fighting measures				
5.1	General fire hazards	Not applicable			
	Extinguishing agent Suitable extinguishing media	Not applicable			

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST®classic telescopes normal (H15), 1 pair Article no.: No. 98030

Revised on: 14.05.2024



	Unsuitable extinguishing media:	Not applicable
5.2	Special hazards arising from the substance or mixture:	Not applicable
5.3	Advice for firefighters Advice for firefighters:	Not applicable
	Special protective equipment for fire fighting:	Not applicable

	SECTION 6: Accidental release measures				
6.1	Personal precautions, protective equipment and emergency procedures:	Not applicable			
6.2	Environmental protection measures:	Not applicable			
6.3	Methods and material for retention and cleaning:	Not applicable			
6.4	Reference to other sections:	Not applicable			

	Section 7: Handling and storage:					
7.1	Protective measures for safe handling:	No special measures required				
	Notes on fire and explosion protection:	No special measures required				
7.2	Conditions for safe storage taking into account incompatibilities:	No special measures required				
	Storage stability:	No special measures required				
	Storage class:	No special measures required				
7.3	Specific end uses:	No special measures required				

	SECTION 8: Exposure controls/personal protective equipment				
8.1	Parameters to be monitored Occupational exposure limit values	not required			
	Biological limit values	Not applicable			

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST®classic telescopes normal (H15), 1 pair

Article no.: No. 98030

Revised on: 14.05.2024



8.2	Exposure controls Suitable engineering controls:	not required	
	Individual protective measures, for example personal protective equipment		
	General information:	not required	
	Eye/face protection:	not required	
	Skin protection Hand protection:	not required	
	Other:	not required	
	Respiratory protection:	not required	
	Hygiene measures:	not required	
	Limitation and monitoring of environmental exposure:	not required	

	Information on the basic physical and chemical properties	
	Parameter	Wert
	State of aggregation	Solid material
	Colour	silver gray, metallic
	Smell	odorless
	Melting point/freezing point	1400-1550 °C (depending on steel grade)
	Boiling point or initial boiling point and boiling range	There are no data available.
	Flammability	There are no data available.
	Lower explosion limit upper explosion limit	There are no data available.
	Flash point	There are no data available.
	Ignition temperature	There are no data available.
	Decomposition temperature	inapplicable
	pH value	inapplicable
	Kinematic viscosity	There are no data available.
	Solubility	Non soluble
	Partition coefficient n-octanol/water (log value)	There are no data available.
	Vapour pressure	There are no data available.
	Density and/or specific gravity	7.7 - 8.1 g / cm³ (depending on steel grade)none
	Relative vapour density	There are no data available.
	Particle properties	There are no data available.
).2.	Other information Bulk density: approx. 0.600 g/cm ³	'

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST®classic telescopes normal (H15), 1 pair

Article no.: No. 98030

Revised on: 14.05.2024



	SECTION 10: Stability and reactivity		
10.1	Reactivity	There are no data available.	
10.2	Chemical stability	The material is stable under normal conditions	
10.3	Possibility of hazardous reactions	None known.	
10.4	Conditions to avoid	None known.	
10.5	Incompatible materials	None known.	
10.6	Decomposition products	None known.	

	SECTION 11: Toxicological data		
11.1	Information on hazard classes within the meaning of Regulation (EC) No 1272/2008		
	acute toxicity	There are no data available	
	Corrosive/irritant effect on the skin	There are no data available	
	Serious eye damage/irritation	There are no data available	
	Sensitisation of the respiratory tract/skin	There are no data available	
	Germ cell mutagenicity	There are no data available	
	Carcinogenicity	There are no data available	
	Reproductive toxicity	There are no data available	
	Specific target organ toxicity at single exposure	There are no data available	
	Specific target organ toxicity in case of repeated exposure	There are no data available	
	Aspiration hazard	There are no data available	
11.2	Information on other hazards	There are no data available	
11.2.1	Endocrine disrupting properties	There are no data available	
11.2.2	Other information	There are no data available	

SECTION 12. Environmental information		
12.1	Toxicity	There are no data available
12.2	Persistence and degradability	There are no data available
12.3	Bioaccumulative potential	There are no data available

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST®classic telescopes normal (H15), 1 pair

Article no.: No. 98030

Revised on: 14.05.2024



12.4	Mobility in soil	There are no data available
12.5	Results of the PBT and vPvB assessment	There are no data available
12.6	Endocrine disrupting properties	There are no data available
12.7	Other adverse effects	There are no data available

	SECTION 13: Disposal instructions		
13.1	Waste treatment proces	S	
	General information	Check possibility of recycling. May be disposed of as household waste or incinerated in a suitable incinerator in accordance with local regulations. Uncleaned packaging: Empty packaging completely.	
	Disposal methods	There are no data available	

	SECTION 14: Transport information		
14.1	ADR	Not a hazardous material.	
14.2	ADN	Not a hazardous material.	
14.3	RID	Not a hazardous material.	
14.4	IMDG	Not a hazardous material.	
14.5	IATA	Not a hazardous material.	
14.6	Special precautions for the user:	Not a hazardous material.	
14.7	Carriage in bulk in accordance with Annex II of the MARPOL Convention and the IBC Code:	Not a hazardous material.	

15.1	Safety, health and environmental regulations/specific legislation for the substance or mixture:	
	EU regulations	
	Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances:	none
	Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended:	none
	Regulation (EC) No 649/2012 on the export and import of dangerous chemicals:	none
	Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended:	none

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST®classic telescopes normal (H15), 1 pair

Article no.: No. 98030

Revised on: 14.05.2024



15.2	Other regulations Chemical safety assessment	none No chemical safety
	VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC)	none
	Reference to Technical Rules for Hazardous Substances (TRGS)	none
	Water hazard class	none
	chemical agents at work: National regulations	none
	REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants Directive 98/24/EU on the protection of workers from the risks related to	none
	Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances:	none
	Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding:	none
	Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work:	none
	Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles:	none
	EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation:	none

	SECTION 16: Other information		
16.1	Information on the revision	Not relevant.	
	Important literature references and data sources:	There are no data available.	
	Training information:	There are no data available.	
	Disclaimer:	More information To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise.	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

IST®classic telescopes normal (H15), 1 pair

Article no.: No. 98030

Revised on: 14.05.2024



Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-one 0.75 x 125 mm/pre-dried Article no.: No. 985100

Revised on: 14.05.2024



	SECTION 1: Identification of the substance or mixture and of the company/undertaking		
1.1	Product identifier	LAMI-one 0.75 x 125 mm/pre-dried Article no.: 985100	
1.2	Relevant identified uses of the substance or mixture and uses which are not recommended		
1.2.1	Relevant uses medical device:	Production of dental thermoforming trays	
1.2.2	Uses that are not recommended:	None known	
1.3	Details of the supplier providing the safety data sheet	Dr. Hinz Dental Vertriebsgesellschaft mbH & Co. KG Friedrich der Große 64 44628 Herne GERMANY Phone: + 49 (0) 23 23 / 59 34 20 Fax: + 49 (0) 23 23 / 59 34 29 E-Mail: qm@dhug.de	
1.4	Emergency number	Contact: Dr. P. Hinz Phone: + 49 17 51 83 41 34	

	SECTION 2: Possible dangers		
2.1	Classification of the substance or mixture		
	This substance does not meet the criteria for classification according to Regulation No. 1272/2008/EC.		
2.1.1	Classification according to (EC) Regulation 1272/2008 as amended.		
	not required		
2.2	Labelling elements Additional information:	No additional information is available.	
2.3	Other dangers	No additional information is available.	

	SECTION 3: Composition / Information on ingredients		
3.1	Chemical characterisation	Copolyester CAS-No: 261716-94-3	
3.1.1	Dangerous ingredients	No hazardous ingredients	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-one 0.75 x 125 mm/pre-dried Article no.: No. 985100

Revised on: 14.05.2024



	Section 4: First aid measures			
4.1	Description of the first aid measures			
	General notes	Remove contaminated clothing.		
	Inhalation:	Provide fresh air. If symptoms occur or in case of doubt, seek medical advice.		
	Eye contact:	Rinse gently with water for a few minutes		
	Skin contact:	Wash off/shower skin with wate		
	Ingestion:	Rinse out mouth. Call a doctor if you feel unwell		
4.2	Most important symptoms and	No symptoms and effects are known so far		
	effects, both acute and delayed:			
4.3	4.3 Indications for immediate medical help or special treatment			
	Dangers:	none		
	Treatment:	none		

	SECTION 5: Fire-fighting measures		
5.1	General fire hazards	Not applicable	
	Extinguishing agent Suitable extinguishing media	Water in full jet Adjust extinguishing measures to the surroundings Water spray, foam, dry extinguishing powder	
	Unsuitable extinguishing media:	Water in full jet	
5.2	Special hazards arising from the substance or mixture:	Combustible. May produce toxic carbon monoxide smoke when burned.	
5.3	Advice for firefighters Advice for firefighters:	Fight fire with ordinary precautions from a reasonable distance. Ambient Wear self-contained breathing apparatus	
	Special protective equipment for fire fighting:	Not applicable	

SECTION 6: Accidental release measures		
6.1	Personal precautions, protective equipment and emergency procedures:	No special measures are required.
6.2	Environmental protection measures:	Prevent seepage into drains or surface and ground water

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-one 0.75 x 125 mm/pre-dried Article no.: No. 985100

Revised on: 14.05.2024



6.3	Methods and material for retention and cleaning:	Cover the sewage systems. Take up mechanically. n suitable containers for disposal. Ventilate the affected area.
6.4	Reference to other sections:	Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal information: see section 13.

	Section 7: Handling and storage:		
7.1	Protective measures for safe handling:	Avoid dust formation. Avoid: Aerosol or mist formation. Advice on general hygiene at the workplace. Keep away from food, drink and animal feeding stuffs	
	Notes on fire and explosion protection:	Store the material in a dry and dark place. Storage temperature max. 30°C.	
7.2	Conditions for safe storage taking into account incompatibilities:	Observe storage instructions.	
	Storage stability:	Keep in a dry place, use local and general ventilation. Special requirements for storage rooms or containers Recommended storage temperature: 15 - 25 °C.	
	Storage class:	(LGK): 11 (combustible solids)	
7.3	Specific end uses:	There is no information available.	

	SECTION 8: Exposure	controls/personal protective equipment	
8.1	Parameters to be monitored Occupational exposure limit values	There are no data available	
	Biological limit values	There are no data available	
8.2	Exposure controls Suitable engineering controls:	not required	
	Individual protective measures, for example personal protective equipment		
	General information:	not required	
	Eye/face protection:	Use safety goggles with side protection.	
		Wear suitable protective gloves. A chemical protective glove tested according to EN 374 is suitable.	
		Include recovery phases for the regeneration of the skin. Preventive skin protection (protective creams/ointments) is recommended.	
creams/ointments) is recommended.		creams/ointments) is recommended.	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-one 0.75 x 125 mm/pre-dried Article no.: No. 985100

Revised on: 14.05.2024



Respiratory protection:	Respiratory protection is required in case of: Dust formation. Particle filter device (EN 143). P1 (filters at least
	80 % of air particles, identification color: white).
Hygiene measures:	not required
Limitation and monitoring of environmental exposure:	Prevent seepage into drains or surface and ground water.

	SECTION 9: Physical	and chemical properties	
9.1	Information on the basic physical and chemical properties		
	Parameter	Value	
	State of aggregation	Fixed	
	Colour	Transparent	
	Smell	odorless	
	Melting point/freezing point	There are no data available	
	Boiling point or initial boiling point and boiling range	There are no data available	
	Flammability	There are no data available	
	Lower explosion limit upper explosion limit	There are no data available	
	Flash point	There are no data available	
	Ignition temperature	There are no data available	
	Decomposition temperature	There are no data available	
	pH value	There are no data available	
	Kinematic viscosity	There are no data available	
	Solubility	There are no data available	
	Partition coefficient n-octanol/water (log value)	There are no data available	
	Vapour pressure	There are no data available	
	Density and/or specific gravity	1,17 g/cm³	
	Relative vapour density	There are no data available	
	Particle properties	There are no data available	
9.2.	Other information Water absorption after 24 h at 23°C: ISO 62 method 1: value - properties: Tensile strength Test methodISO 527 Value: 49 MPa		
	Properties: Flexural strength Test method: ISO 527 Value: 66 MPa	Properties: Impact strength at 23°C	
	Test method: ISO 5256 Value: No breakage		
	Properties: Notched impact strength at 23°C Test method: ISO 179		

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-one 0.75 x 125 mm/pre-dried Article no.: No. 985100

Revised on: 14.05.2024

Version: 5.0 Replaced version: 4.0



Value: 66 kJ/m²

Test method: ISO 179 Value: No breakage

Test method: ISO 527 Value: 45 MPa

Test method: ISO 527

Value: 7%

Test method: ISO 527

Value: 130%.

Test method:ISO 527 Value: 1624 MPa

Properties:Shore D hardness Test method:DIN 53505

value: 78

Properties:Rockwell hardness

Test method:ISO 2039 (H358/30) Value: 115

ISO 306 Value: -

Temperature resistance ISO 75 method A 92°C ISO 75 method B 109°C

Continuous service temperature

ISO 75 Value: -

Properties: Tensile strength

Properties: Elongation at yield

Properties: Yield stress

Properties: Elongation at break

Properties:Young's modulus

Vicat softening temperature

SECTION 10: Stability and reactivity		
10.1	Reactivity	No additional information is available.
10.2	Chemical stability	No decomposition when used as directed
10.3	Possibility of hazardous reactions	No additional information is available.
10.4	Conditions to avoid	No additional information is available.
10.5	Incompatible materials	No additional information is available.
10.6	Decomposition products	No decomposition when used as directed

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-one 0.75 x 125 mm/pre-dried Article no.: No. 985100

Revised on: 14.05.2024



	SECTION 11: Toxicological data		
11.1	Information on hazard classes within the meaning of Regulation (EC) No 1272/2008		
	acute toxicity	Is not to be classified as acutely toxic	
	Corrosive/irritant effect on the skin	Is not to be classified as skin corrosive/irritant.	
	Serious eye damage/irritation	Is not classified as severely eye damaging or eye irritating.	
	Sensitisation of the respiratory tract/skin	Is not to be classified as an inhalation or skin allergen.	
	Germ cell mutagenicity	Is not classified as germ cell mutagen (mutagenic), carcinogenic or toxic for reproduction	
	Carcinogenicity	Is not classified as germ cell mutagen (mutagenic), carcinogenic or toxic for reproduction	
	Reproductive toxicity	Is not classified as germ cell mutagenic (mutagen), carcinogenic or toxic for reproduction.	
	Specific target organ toxicity at single exposure	Is not to be classified as specific target organ toxic (single exposure).	
	Specific target organ toxicity in case of repeated exposure	Is not to be classified as specific target organ toxic (repeated exposure).	
	Aspiration hazard	Is not to be classified as aspiration hazardous.	
11.2	Information on other hazards		
		there are no data available	
11.2.1	Endocrine disrupting properties	None	
11.2.2	Other information	None	

	SECTION 12. Environmental information		
12.1	Toxicity	according to 1272/2008/EC: Is not to be classified as hazardous to the aquatic environment.	
12.2	Persistence and degradability	There are no data available.	
12.3	Bioaccumulative potential	There are no data available.	
12.4	Mobility in soil	There are no data available.	
12.5	Results of the PBT and vPvB assessment	There are no data available.	
12.6	Endocrine disrupting properties	There are no data available.	
12.7	Other adverse effects	No data available	

SECTION 13: Disposal instructions		
13.1	Waste treatment process	
	General information	For waste disposal, contact the authorized waste disposal company.
	Disposal methods	Do not allow to enter the sewage system. The assignment of waste code numbers/waste designations is to be carried out in accordance with EAKV on an industry and process-specific

the IBC Code:

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-one 0.75 x 125 mm/pre-dried Article no.: No. 985100

Revised on: 14.05.2024

Version: 5.0 Replaced version: 4.0



basis. Waste must be separated in such a way that it can be treated separately by municipal or national waste disposal facilities. Please observe the relevant national or regional regulations.

	SECTION 14: Transport information		
14.1	14.1 ADR not applicable		
14.2	ADN	not applicable	
14.3	RID	not applicable	
14.4	IMDG	not applicable	
14.5	IATA	not applicable	
14.6	Special precautions for the user:	Not applicable.	
14.7	Carriage in bulk in accordance with Annex II of the MARPOL Convention and	Not applicable.	

SECTION 15: Legislation			
5.1	Safety, health and environmental regulations/specific legislation for the substance or mixture:		
	EU regulations		
	Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances:	none	
	Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended:	none	
	Regulation (EC) No 649/2012 on the export and import of dangerous chemicals:	none	
	Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended:	none	
	EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation:	none	
	Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles:	none	
	Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work:	none	
	Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding:	none	
	Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances:	none	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-one 0.75 x 125 mm/pre-dried Article no.: No. 985100

Revised on: 14.05.2024



	REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants	none
	Directive 98/24/EU on the protection of workers from the risks related to chemical agents at work:	none
	National regulations	
	Water hazard class	0 not hazardous to water
	Reference to Technical Rules for Hazardous Substances (TRGS)	none
	VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC)	none
	Other regulations	none
15.2	Chemical safety assessment	A chemical safety assessment has not been carried out.

	SECTION 16: Other information		
16.1	Information on the revision	Not relevant.	
	Important literature references and data sources:	There are no data available.	
	Training information:	There are no data available.	
	Disclaimer:	More information To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise.	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-two 1.8 x 125 mm pre-dried Article no.: No. 985200

Revised on: 14.05.2024



	SECTION 1: Identification of	of the substance or mixture and of the company/undertaking	
1.1	Product identifier	LAMI-two 1.8 x 125 mm pre-dried Article no.: 985200	
1.2	Relevant identified uses of the sul	bstance or mixture and uses which are not recommended	
1.2.1	Relevant uses medical device:	Production of dental thermoforming trays	
1.2.2	Uses that are not recommended:	None known	
1.3	Details of the supplier providing the safety data sheet	Dr. Hinz Dental Vertriebsgesellschaft mbH & Co. KG Friedrich der Große 64 44628 Herne GERMANY Phone: + 49 (0) 23 23 / 59 34 20 Fax: + 49 (0) 23 23 / 59 34 29 E-Mail: qm@dhug.de	
1.4	Emergency number	Contact: Dr. P. Hinz Phone: + 49 17 51 83 41 34	

	SECTION 2: Possible dangers		
2.1	Classification of the substance or mixture		
	This substance does not meet the criteria for c	classification according to Regulation No. 1272/2008/EC.	
2.1.1	Classification according to (EC) Regulation 1272/2008 as amended.		
	not required		
2.2	Labelling elements Additional information:	No additional information is available.	
2.3	Other dangers	No additional information is available.	

SECTION 3: Composition / Information on ingredients		
3.1	Chemical characterisation	Thermoplastisches Polyurethan / Polycarbonat (TPU / PC) 25037-45-0 (PC) CAS-Nr: 75701-44-9 (TPU)
3.1.1	Dangerous ingredients	No hazardous ingredients.

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-two 1.8 x 125 mm pre-dried Article no.: No. 985200

Revised on: 14.05.2024



	•	Section 4: First aid measures	
4.1	Description of the first aid measures		
	General notes	Remove contaminated clothing.	
	Inhalation:	Provide fresh air. Seek medical advice if symptoms occur or in case of doubt	
	Eye contact:	Rinse gently with water for a few minutes	
	Skin contact:	Wash off/shower skin with water	
	Ingestion:	Haut mit Wasser abwaschen/abduschen	
4.2	Most important symptoms and effects, both acute and delayed:	No symptoms and effects are known so far	
4.3	Indications for immediate medical help or special treatment		
	Dangers:	none	
	Treatment:	none	

	SECTION 5: Fire-fighting measures		
5.1	General fire hazards	Not applicable	
	Extinguishing agent Suitable extinguishing media	Water in full jet Adjust extinguishing measures to the surroundings Water spray, foam, dry extinguishing powd	
	Unsuitable extinguishing media:	Water in full jet	
5.2	Special hazards arising from the substance or mixture:	Combustible. May produce toxic carbon monoxide smoke when burned	
5.3	Advice for firefighters Advice for firefighters:	Fight fire with ordinary precautions from a reasonable distance. Ambient Wear self-contained breathing apparatus.	
	Special protective equipment for fire fighting:	Not applicable	

	SECTION 6: Accidental release measures		
6.1	Personal precautions, protective equipment and emergency procedures:	No special measures are required	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-two 1.8 x 125 mm pre-dried Article no.: No. 985200

Revised on: 14.05.2024



6.2	Environmental protection measures:	Prevent seepage into drains or surface and ground wate
6.3	Methods and material for retention and cleaning:	Cover the sewage systems. Take up mechanically. n suitable containers for disposal. Ventilate the affected area
6.4	Reference to other sections:	Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal information: see section 13

	Section 7: Handling and storage:			
7.1	Protective measures for safe handling:	Avoid dust formation. Avoid: Aerosol or mist formation. Advice on general hygiene at the workplace. Keep away from food, drink and animal feed		
	Notes on fire and explosion protection:	Store the material in a dry and dark place. Storage temperature max. 30°C.		
7.2	Conditions for safe storage taking into account incompatibilities:	Observe storage instructions.		
	Storage stability:	Keep in a dry place, use local and general ventilation. Special requirements for storage rooms or containers Recommended storage temperature: 15 - 25 °C		
	Storage class:	LGK): 11 (combustible solids)		
7.3	Specific end uses:	There is no information available.		

	SECTION 8: Exposu	re controls/personal protective equipment	
8.1 Parameters to be monitored Occupationa exposure limit values		There are no data available	
	Biological limit values	There are no data available	
8.2	Exposure controls Suitable engineering controls:	not required	
	Individual protective measures, for example personal protective equipment		
	General information:	not required	
	Eye/face protection:	Use safety goggles with side protection.	
	Skin protection Hand protection:	Wear suitable protective gloves. A chemical protective glove tested according to EN 374 is suitable.	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-two 1.8 x 125 mm pre-dried Article no.: No. 985200

Revised on: 14.05.2024



Other:	Include recovery phases for the regeneration of the skin. Preventive skin protection (protective creams/ointments) is recommended.
	creams/ointments) is recommended.
Respiratory protection:	Respiratory protection is required in case of: Dust formation. Particle filter device (EN 143). P1 (filters at least
	80 % of air particles, identification color: white).
Hygiene measures:	not required
Limitation and monitoring of environmental exposure:	Prevent seepage into drains or surface and ground water.

	•	and chemical properties		
9.1	Information on the basic physical and chemical properties			
	Parameter	Value		
	State of aggregation	Value (TPU) Fixed; Value (PC) Fixed		
	Colour	Value (TPU) Transparent; Value (PC) Transparent		
	Smell	Value (TPU) Odorless; Value (PC) Odorless		
	Melting point/freezing point	There are no data available		
	Boiling point or initial boiling point and boiling range	There are no data available		
	Flammability	There are no data available		
	Lower explosion limit upper explosion limit	There are no data available		
	Flash point	There are no data available		
	Ignition temperature	There are no data available		
	Decomposition temperature	There are no data available		
	pH value	There are no data available		
	Kinematic viscosity	There are no data available		
	Solubility	There are no data available		
	Partition coefficient n-octanol/water (log value)	There are no data available		
	Vapour pressure	There are no data available		
	Density and/or specific gravity	Value (TPU) 1.14 g/cm3 ; Value (PC) 1.20 g/cm3		
	Relative vapour density	There are no data available		
	Particle properties	There are no data available		
9.2.	Other information Water absorption after 24 h at 23°C: ISO 62 method 1: Test method: ISO 527 Value (TPU): 32 MPa; Value (PC):59 MPa Properties: Flexural strength Test method: ISO 178 Value (TPU): -; Value (PC): 100 MPa	value (TPU) 0.3%; value (PC) 0.15% Properties: Tensile strength		

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-two 1.8 x 125 mm pre-dried Article no.: No. 985200

Revised on: 14.05.2024

Version: 5.0 Replaced version: 4.0



Properties: Impact strength at 23°C

Test method:ISO 179/1eU

Value (TPU): No break; Value (PC):No break Properties: Notched impact strength at 23°C

Test method: ISO 180/1A

Value (TPU): No breakage; Value (PC):80 KJ/m²

Test method: ISO 179

Value (TPU): 43 MPa; Value (PC): 65 MPa

Test method: ISO 527

Value (TPU): 7 MPa; Value (PC): 65 MPa

Test method: ISO 527

Value (TPU): 525 %; Value (PC): >60 %

Properties: Young's modulus Test method:ISO 527

Value (TPU): 172 MPa; Value (PC): 2400 MPa

Properties: Shore A hardness Test method:DIN 53505 Value (TPU): 88; Value (PC): -

Properties: Hardness according to Shore D

Test method:DIN 53505

Value (TPU): 33; Value (PC): 88

Properties:Rockwell hardness Prüfverfahren:ISO2039-1 (H358/30) Value (TPU): -; Value (PC):110

Vicat softening temperature

ISO 306 Method A Value (TPU): 44 °C; Value (PC): - ISO 306 Method B Value (TPU): 70 °C; Value (PC): 145 °C

Temperature resistance

ISO 75 method A value (TPU): 47 °C; value (PC): 125 °C ISO 75 method B value (TPU): 86 °C; value (PC): 138 °C

Continuous service temperature

ISO 75 value (TPU): 90 °C; value (PC): 125 °C

Properties:Tensile strength

Properties: Yield stress

Properties: Elongation at break

	SECTION 10: Stability and reactivity			
10.1	Reactivity	No additional information is available.		
10.2	Chemical stability	No decomposition when used as directed		
10.3	Possibility of hazardous reactions	No additional information is available.		
10.4	Conditions to avoid	No additional information is available.		
10.5	Incompatible materials	No additional information is available.		
10.6	Decomposition products	No decomposition when used as directed.		

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-two 1.8 x 125 mm pre-dried Article no.: No. 985200

Revised on: 14.05.2024



effect on the skin age/irritation he respiratory tract/skin enicity	g of Regulation (EC) No 1272/2008 Is not to be classified as acutely toxic. Is not to be classified as skin corrosive/irritant. Is not classified as severely eye damaging or eye irritating. Is not to be classified as an inhalation or skin allergen. Is not classified as germ cell mutagenic (mutagen), carcinogenic or toxic for reproduction.
age/irritation he respiratory tract/skin	Is not to be classified as skin corrosive/irritant. Is not classified as severely eye damaging or eye irritating. Is not to be classified as an inhalation or skin allergen. Is not classified as germ cell mutagenic (mutagen), carcinogenic or toxic for reproduction.
age/irritation he respiratory tract/skin	Is not classified as severely eye damaging or eye irritating. Is not to be classified as an inhalation or skin allergen. Is not classified as germ cell mutagenic (mutagen), carcinogenic or toxic for reproduction.
he respiratory tract/skin	Is not to be classified as an inhalation or skin allergen. Is not classified as germ cell mutagenic (mutagen), carcinogenic or toxic for reproduction.
	Is not classified as germ cell mutagenic (mutagen), carcinogenic or toxic for reproduction.
enicity	toxic for reproduction.
	Is not classified as germ cell mutagenic (mutagen), carcinogenic or toxic for reproduction
icity	Is not classified as germ cell mutagenic (mutagen), carcinogenic or toxic for reproduction
gan toxicity at single exposure	Is not to be classified as specific target organ toxic (single exposure).
gan toxicity in case of re	Is not to be classified as specific target organ toxic (repeated exposure).
d	Is not to be classified as aspiration hazardous.
other hazards	
	there are no data available
pting properties	None
on	None

	SECTION 12. Environmental information		
12.1	Toxicity	according to 1272/2008/EC: Is not to be classified as hazardous to the aquatic environment.	
12.2	Persistence and degradability	There are no data available.	
12.3	Bioaccumulative potential	There are no data available.	
12.4	Mobility in soil	There are no data available.	
12.5	Results of the PBT and vPvB assessment	There are no data available.	
12.6	Endocrine disrupting properties	There are no data available.	
12.7	Other adverse effects	Slightly hazardous to water. (AwSV)	

SECTION 13: Disposal instructions			
13.1	Waste treatment process		
	General information	For waste disposal, contact the authorized waste disposal company.	
	Disposal methods	Do not allow to enter the sewage system. The assignment of waste code numbers/waste designations is to be carried out in accordance with EAKV on an industry and process-specific	

the IBC Code:

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-two 1.8 x 125 mm pre-dried Article no.: No. 985200

Revised on: 14.05.2024

Version: 5.0 Replaced version: 4.0



basis. Waste must be separated in such a way that it can be treated separately by municipal or national waste disposal facilities. Please observe the relevant national or regional regulations.

	SECTION 14: Transport information			
14.1	ADR	not applicable		
14.2	ADN	not applicable		
14.3	RID	Not applicable.		
14.4	IMDG	not applicable		
14.5	IATA	not applicable		
14.6	Special precautions for the user:	not applicable		
14.7	Carriage in bulk in accordance with Annex II of the MARPOL Convention and	Not applicable.		

SECTION 15: Legislation				
5.1	Safety, health and environmental regulations/specific legislation for the substance or mixture:			
	EU regulations			
	Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances:	none		
	Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended:	none		
	Regulation (EC) No 649/2012 on the export and import of dangerous chemicals:	none		
	Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended:	none		
	EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation:	none		
	Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles:	none		
	Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work:	none		
	Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding:	none		
	Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances:	none		

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

LAMI-two 1.8 x 125 mm pre-dried Article no.: No. 985200

Revised on: 14.05.2024



	REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants	none
	Directive 98/24/EU on the protection of workers from the risks related to chemical agents at work:	none
	National regulations	
	Water hazard class	(WGK): 1 (slightly hazardous to water) - Classification according to Annex 1 (AwSV)
	Reference to Technical Rules for Hazardous Substances (TRGS)	none
	VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC)	none
	Other regulations	none
15.2	Chemical safety assessment	A chemical safety assessment has not been carried out.

	SECTION 16: Other information			
16.1	Information on the revision	Not relevant.		
	Important literature references and data sources:	There are no data available.		
	Training information:	There are no data available.		
	Disclaimer:	More information To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise.		

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Insulating foil

Article no.: No. 985400

Revised on: 14.05.2024



	SECTION 1: Identification of the substance or mixture and of the company/undertaking		
1.1	Product identifier	Insulating foil Article no.: 985400	
1.2	Relevant identified uses of the sul	ostance or mixture and uses which are not recommended	
1.2.1	Relevant uses medical device:	Production of dental thermoforming trays (placeholder foil)	
1.2.2	Uses that are not recommended:	None known	
1.3	Details of the supplier providing the safety data sheet	Dr. Hinz Dental Vertriebsgesellschaft mbH & Co. KG Friedrich der Große 64 44628 Herne GERMANY Phone: + 49 (0) 23 23 / 59 34 20 Fax: + 49 (0) 23 23 / 59 34 29 E-Mail: qm@dhug.de	
1.4	Emergency number	Contact: Dr. P. Hinz Phone: + 49 17 51 83 41 34	

	SECTION 2: Possible dangers		
2.1	Classification of the substance or mixture		
	The product has not been classified as danger	rous according to the legislation in force	
2.1.1	Classification according to (EC) Regulation 1272/2008 as amended.		
	Not classified		
2.2	Labelling elements Additional information:	Not applicable	
2.3	Other dangers	Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.	

	SECTION 3: Composition / Information on ingredients		
3.1	Chemical characterisation	High density polyethylene (PE-HD) CAS no: 9002-88-4	
3.1.1	Dangerous ingredients	Not subject to declaration	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Insulating foil Article no.: No. 985400

Revised on: 14.05.2024



		Section 4: First aid measures	
4.1	Description of the first aid measures		
	General notes	No action should be taken that involves personal risk or has not been adequately trained.	
	Inhalation:	Fresh air supply, respiratory care if necessary, heat. Consult a physician if symptoms persist.	
	Eye contact:	No special measures required	
	Skin contact:	After contact with the melted product, cool quickly with cold water. Do not remove solidified product from skin. Seek medical advice immediately.	
	Ingestion:	No special measures required	
4.2	Most important symptoms and effects, both acute and delayed:	No special measures required	
4.3	Indications for immediate medical help or special treatment		
	Dangers:	This product is not expected to be harmful under normal use and proper personal hygiene.	
	Treatment:	Do NOT induce vomiting if swallowed. Administer a glass of water.	

	SEC	TION 5: Fire-fighting measures
5.1	General fire hazards	Not applicable
	Extinguishing agent Suitable extinguishing media	CO2, extinguishing powder, foam or water spray. Fight larger fires with water spray or alcohol-resistant foam. fight.
	Unsuitable extinguishing media:	Water full jet
5.2	Special hazards arising from the substance or mixture:	In the event of a fire, the following may be released: Carbon monoxide (CO) Carbon dioxide (CO2)
5.3	Advice for firefighters Advice for firefighters:	Wear self-contained breathing apparatus. Wear full protective suit.
	Special protective equipment for fire fighting:	Cool endangered containers with water spray.

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Insulating foil Article no.: No. 985400

Revised on: 14.05.2024



	SECTION 6: Accidental release measures		
6.1	Personal precautions, protective equipment and emergency procedures:	Wear protective equipment. Keep unprotected persons away.	
6.2	Environmental protection measures:	Do not allow to enter drains/surface waters/groundwater.	
6.3	Methods and material for retention and cleaning:	Allow to solidify, pick up mechanically.	
6.4	Reference to other sections:	See Section 7 for safe handling information. See Section 8 for information on personal protective equipment. See Section 13 for disposal information.	

	Section 7: Handling and storage:		
7.1	Protective measures for safe handling:	Avoid inhalation of vapors and contact with eyes, skin and clothing.	
	Notes on fire and explosion protection:	No special measures required.	
7.2	Conditions for safe storage taking into account incompatibilities:	Store separately from oxidizing agents.	
	Storage stability:	Only use containers that are specifically approved for the product. Protect from heat and direct sunlight. Store between 0 °C and 40 °C in a dry, well-ventilated place.	
	Storage class:	Keine besonderen Maßnahmen erforderlich	
7.3	Specific end uses:	No special measures required	

	SECTION 8: E	xposure o	controls/personal protective equipment
8.1	Parameters to be monitored Occupational exposure limit values		No further information, see section 7.
	Biological limit values		The lists valid at the time of preparation served as a basis
8.2	Exposure controls Suitable engineering controls:		The lists valid at the time of preparation served as a basis
	Individual protective measures, for example personal protective equipment		
	General information:	Th	e usual precautions when handling chemicals must be observed.
	Eye/face protection:	Sa	afety goggles
	Skin protection Hand protection:	Or	nly use chemical protective gloves with a CE marking of category III.

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Insulating foil

Article no.: No. 985400

Revised on: 14.05.2024



	Protective gloves according to DIN EN 374-3
	Gloves / heat insulating
Other:	not required
Respiratory protection:	In case of short-term or low exposure use respiratory filter device; in case of
	intensive or prolonged exposure use self-contained
	use self-contained breathing apparatus.
	Filter AX
Hygiene measures:	The usual precautions when handling chemicals must be observed.
Limitation and monitoring of environmental exposure:	not required

.1	Information on the basic physical and chemical properties			
	Parameter	Value		
	State of aggregation	Fixed		
	Colour	Milky white		
	Smell	odorless		
	Melting point/freezing point	>90° C		
	Boiling point or initial boiling point and boiling range	Not determined.		
	Flammability	Not determined.		
	Lower explosion limit upper explosion limit	Not determined.		
	Flash point	Not determined.		
	Ignition temperature	Not determined.		
	Decomposition temperature	Not determined.		
	pH value	Not determined.		
	Kinematic viscosity	Not determined.		
	Solubility	Not determined.		
	Partition coefficient n-octanol/water (log value)	Not determined.		
	Vapour pressure	Not determined.		
	Density and/or specific gravity	0,919 g/cm³		
	Relative vapour density	Not determined.		
	Particle properties	Not determined.		
9.2.	Other information Water absorption after 24 h at 23 °C: <0.1 % Tensile st Elongation at break:>400 % Young's modulus: <600 Mp softening temperature	rength: 30 Mpa Elongation at yield: 20 % Yield stress: 9 Mpa pa Hardness according to Shore D 45 Rockwell hardness:15 Vicat		

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Insulating foil Article no.: No. 985400

Revised on: 14.05.2024

Version: 5.0 Replaced version: 4.0



ISO 306 method A 93 °C

ISO 306 method B 45 °C Temperature resistance ISO 75 method B

41 °C

Continuous service temperature

ISO 75 60-75 °C

	SECTION 10: Stability and reactivity		
10.1	Reactivity	stable under recommended conditions.	
10.2	Chemical stability	No decomposition when used as directed.	
10.3	Possibility of hazardous reactions	No dangerous reactions known	
10.4	Conditions to avoid	No further relevant information available	
10.5	Incompatible materials	No further relevant information available	
10.6	Decomposition products	No hazardous decomposition products known	

	SECTION 11: Toxicological data		
11.1	Information on hazard classes within the meaning of Regulation (EC) No 1272/2008		
	acute toxicity	No hazardous decomposition products known	
	Corrosive/irritant effect on the skin	No information available.	
	Serious eye damage/irritation	No information available.	
	Sensitisation of the respiratory tract/skin	No information available.	
	Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
	Carcinogenicity	Based on available data, the classification criteria are not met.	
	Reproductive toxicity	Based on available data, the classification criteria are not met.	
	Specific target organ toxicity at single exposure	Based on available data, the classification criteria are not met.	
	Specific target organ toxicity in case of repeated exposure	Based on available data, the classification criteria are not met.	
	Aspiration hazard	Based on available data, the classification criteria are not met.	
11.2	Information on other hazards	Based on available data, the classification criteria are not met.	
11.2.1	Endocrine disrupting properties	Based on available data, the classification criteria are not met.	
11.2.2	Other information	No information available	

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Insulating foil Article no.: No. 985400

Revised on: 14.05.2024

Version: 5.0 Replaced version: 4.0



	SECTION 12. Environmental information		
12.1	Toxicity	The components of the product are not classified as dangerous for the environment or the quantities are not relevant. Frequent spills	
		or leakage of larger quantities may have a hazardous or harmful effect on the environmen	
12.2	Persistence and degradability	No further relevant information available	
12.3	Bioaccumulative potential	No further relevant information available	
12.4	Mobility in soil	No further relevant information available	
12.5	Results of the PBT and vPvB assessment	PBT: Not applicable.	
		vPvB: Not applicable.	
12.6	Endocrine disrupting properties	No further relevant information available.	
12.7	Other adverse effects	No further relevant information available.	

		SECTION 13: Disposal instructions
13.1		
	General information	Observe the locally applicable regulations. Must be fed to a hazardous waste incineration plant approved for this purpose after pretreatment in compliance with the hazardous waste regulations.
	Disposal methods	Dispose of in accordance with official regulations.

SECTION 14: Transport information		
14.1	ADR	not applicable
14.2	ADN	not applicable
14.3	RID	not applicable
14.4	IMDG	not applicable
14.5	IATA	not applicable
14.6	Special precautions for the user:	Not applicable.
14.7	Carriage in bulk in accordance with Annex II of the MARPOL Convention and the IBC Code:	Not applicable.

SECTION 15: Legislation

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Insulating foil

Article no.: No. 985400

Revised on: 14.05.2024



	EU regulations			
	Regulation 1005/2009/EC on substances that deplete the ozone layer, Annex I, Controlled substances:	none		
	Regulation (EU) 2019/1021 on persistent organic pollutants (new edition), as amended:	none		
	Regulation (EC) No 649/2012 on the export and import of dangerous chemicals:	none		
	Regulation (EC) No 1907/2006, REACH Annex XIV List of substances subject to authorisation, as amended:	none		
	EU. REACH Candidate List of Substances of Very High Concern (SVHC) for authorisation:	none		
	Regulation (EC) No 1907/2006 Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles :	none		
	Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work:	none		
	Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding:	none		
	Directive 2012/18/EU (Seveso III) on the control of major-accident hazards involving dangerous substances:	none		
	REGULATION (EC) No 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register, ANNEX II: Pollutants	none		
	Directive 98/24/EU on the protection of workers from the risks related to chemical agents at work:	none		
	National regulations			
	Water hazard class	WGK 1 (self-classification): slightly hazardous for water		
	Reference to Technical Rules for Hazardous Substances (TRGS)	none		
	VOC Directive (1999/13/EC) and the Decopaint Directive (2004/42/EC)	none		
	Other regulations	none		
15.2	Chemical safety assessment	A chemical safety assessment has not been carried out.		

SECTION 16: Other information		
16.1	Information on the revision	Not relevant.
	Important literature references and data sources:	There are no data available.

Complies with Regulation (EC) No 1907/2006 (REACH), Annex II, amended according to Regulation (EU) No 2020/878

Insulating foil

Article no.: No. 985400

Revised on: 14.05.2024



Training information:	There are no data available.
Disclaimer:	More information To the best of our knowledge, the information in this safety data sheet corresponds to our knowledge at the time of revision. The information is intended to provide guidance on the safe handling of the product specified in this safety data sheet during storage, processing, transportation and disposal. The information is not transferable to other products. Insofar as the product named in this safety data sheet is mixed, blended or processed with other materials, or is subjected to processing, the information in this safety data sheet cannot be transferred to the new material thus produced, unless expressly stated otherwise